




TRUCKLIFT

MULTI-POST TRUCKLIFT FOR COMMERCIAL, AGRICULTURAL
AND SPECIAL VEHICLES



Optimum safety in operation owing to system with two separate hydraulic circuits and additional electronic pressure/leak detection as standard



**FLEXIBLE
AND CUSTOM
SELECTABLE POST DIS-
TANCE DUE TO INDIVIDUAL
CASSETTES**





Automatic positioning program
for storing and calling back up
different vehicle lifting positions
to save time when adjusting the
movable lifting units



Optional diverse, robust roller cover systems with travel drive made of aluminium profile segments with non-slip surface, connected with aluminium joints

Narrow roller cover with on-ground support cross-beam, can be driven over with wheel loads of up to 4.0 t

Extremely narrow and robust roller cover with parking space for floor-level mounting crossbeam for smooth drive-on or for vehicles with limited floor clearance, drive-on wheel loads of up to 4.0 t

- With a high level of operating comfort due to support cross-beam's automatic extension program from the parking pocket and automatic retraction program to the parking pocket
- Time-saving movement program of the mounting beam suspended at a limited height above the floor guarantees safe procedures even in cases of poor visibility



Roller cover with an in-ground integrated, extremely flat support cross-beam for lifting low liners, low-floor buses or vans, can be driven over with wheel loads of up to 1.4 t



... in more than 150 countries worldwide

MAHA Maschinenbau Haldenwang GmbH & Co. KG
Hoyen 20 | 87490 Haldenwang | Germany

Phone +49 8374 585 0
Fax +49 8374 585 497
Mail sales@maha.de

www.maha.de