

# BRAKE TESTING TECHNOLOGY MBT 4000 SERIES

## MBT 4250 EUROSYSYSTEM VP 410153



## MBT 4250 EUROSYSYSTEM VP 410153

The test-lane-compatible roller brake tester MBT 4250 EUROSYSYSTEM is designed for the brake testing of trucks, light trucks, cars, vans and buses with axle loads of up to 13.0 t. Its standard split design for pit installation ensures a high level of flexibility within the working area. As it is possible to connect additional EURO floor units, the brake tester can be used as a base module for the setting up of test lanes.

### PRODUCT DETAILS/ACCESSORIES

Description of the MBT 4250 EUROSYSYSTEM:

Test lane-enabled roller brake tester for trucks, light trucks, cars, vans and busses with an axle load of up to 13 t

- Divided design supplied as standard for installation in a working pit enables a high level of flexibility with regard to the area of use
- The dimensions offer the best testing opportunities for standard trucks, light trucks, cars, vans and busses
- Visualisation of measured values, difference and graphics on monitor display
- Test lane-enabled thanks to possibility of connecting MSD 3000 / MINC / TPS EURO floor units
- Comprehensive package of functions for professional testing, such as:
  - Delayed automatic switch-on after entering the tester
  - Automatic start-up monitoring supplied as standard to avoid tyre damage
  - Automatic slip cut-off with pointer stop and automatic restart already included as standard
  - Automatic exiting aid supplied as standard to enable the driven axles to conveniently exit the tester
  - Automatic cut-off after exiting the tester
  - Single-wheel switching for differentiated consideration of each wheel
- Intuitive-to-use EUROSYSYSTEM software for the highest expert standards with:
  - Round instrument display for the braking forces. Additional displays for difference, decelerations, and optional scale and force sensors.
  - Integrated user guidance with easy-to-understand user instructions
  - Continuous and graphic real-time display of all the measured values using the reference values time and force.
  - EUROSYSYSTEM supplied as standard with integrated SQL Server Express database
  - Multi-user capability option for productive allocation of the individual work packages to several workstations.
  - Easy to connect additional devices such as MLT 3000 to EUROSYSYSTEM
- Configurable test report with all the measurement and evaluation results of the tests performed on a single print-out
- Robust and long-lasting design due to:
  - Electronic, temperature-compensated strain gauge system for highly precise measurement results under all environmental conditions
  - Roller surface welded
  - Optional, free plasticcoating on the test rollers
  - 32-bit microprocessor electronics for process control and monitoring of all the safety functions
  - Lockable main switch
  - RS 232 interface connection
  - Splash-proof motors work reliably, even under high-stress environmental influences
  - Weighted test rollers with groove ball bearings ensure maximum precision and complete driving comfort and guarantee a long service life for the entire tester
  - Internationally recognised TÜV certificate as per issue 149/2021 of the Verkehrsblatt (German Transport Gazette)
  - Star-delta circuit to avoid high inrush currents
  - RS 2 roller set design with space-saving motor integration underneath the test rollers
  - Rear roller elevated by 40 mm - guarantees highly precise measurement results, particularly for trailer axles.
  - Self-supporting divided roller set
  - Varnished with high-quality powder coating: Anthracite Grey, RAL 7016

Description of the MCD 2000 communication desk:

- Robust and multifunctional metal casing
- Integrated switch cabinet for housing electronic components
- Lockable drawer for keypad and PC mouse, plus storage compartment for small items of equipment
- VESA standard bracket for holding the all-in-one PC or PC monitor
- Can be extended with optional PC storage compartment or side shelves
- Varnished with high-quality powder coating: window grey, RAL 7040 (switch cabinet) anthracite grey, RAL 7016 (side faces)

# BRAKE TESTING TECHNOLOGY MBT 4000 SERIES

**MBT 4250 EUROSYSYSTEM**  
VP 410153



Dimensions of  
communication desk (HxWxD) approx. 1230 x 860 x 350 mm  
with printer compartment  
option (HxWxD) approx. 1560 x 860 x 420 mm

Scope of delivery:

- MCD 2000 communication desk with integrated switch cabinet
- MBT 4000 RS 2 roller set with preparation for weighing equipment

## TECHNICAL DATA

Axle load (can be driven over)	13000 kg
Drive power	2 x 9 kW
Test speed	2.3 km/h
Roller length	1000 mm
Roller diameter	202 mm
Roller axle distance	430 mm
gG fuse	50 A
Power supply	3/N/PE 400 V 50 Hz

## ACCESSORIES

VZ 930027	Additional Charge for Reinforced Roller Set max. Axle Load 15 t	VZ 935200	Fastening Clamps (2 pcs.) for Hydr. Load Simulator
VZ 930047	Additional Charge for 2 Re-inforced 11kW drive motors Fused 63 Amp slow.	VZ 935264	Mechanical-Hydraulic Lifting of MBT 4000/7000 RS.No.2
VZ 935010	Flush-Floor Roller Set (both Front (>&gt;) Rear Rollers raised 40 mm) for MBT 4000 RS.No.2	VZ 935112	Adapter frame to convert MBT 7000 foundation frame to MBT 4000 roller set
VZ 935142	Approach Ramp MBT 4000 RS No.2 (2 pcs.), made of Steel	VZ 935389	Mechanical-Hydraulic Roller Set, Lift 13t for MBT 4000/7000 RS.No.2/W
VZ 935275	Vehicle Weight-Bearing Roller Cover Plates (4 pcs.), Galv. Steel, for MBT 4000 RS No. 2	VZ 935390	Angle Iron Frame for Lifting of Roller Set,with working pit
VZ 935157	Angle Iron Frame MBT 4000 RS2, C_MBT S 13.0/15.0 R100 MU with Pit, galvanized	VZ 935391	Angle Iron Frame for Lifting of Roller Set,with working pit galvanized
VZ 935155	Angle Iron Frame MBT 4000 RS2, C_MBT S 13.0/15.0 R100 MU w/o Pit, galvanized	VZ 935238	Roller Set Lift, Mech./Hydr. MBT 4000/7000 RS.No.2/W with Angle Iron Frame (1-Piece)
VZ 935180	Center Cover between Roller Sets, for MBT 4000	VP 935236	Floor Anchors -Above-Groundfor Raisable Roller Set
VZ 975547	Weighing device STATIC for MBT 4000/6000/7000	VP 935237	Floor Anchors -In-Groundfor Raisable Roller Set
VZ 975548	Weighing device STATIC/ DYNAMIC for MBT 4000/6000/7000	VZ 975740	Cover plate for hydraulic power unit Roller set lift
VZ 935077	Two Testing Speeds	VZ 935232	Adapter Set Continental Workshop Tab II / CTC II -NET-
VZ 935006	Roller Heating	VZ 935276	Prefitting Continental Workshop Tab II / CTC II -NET PRICE-
VZ 985061	Hydr. Load Simulator Single HD Cylinder Model: MLS 1100	VZ 935110	Plastic-Coated Roller Surface (Standard Production - Welded)
VZ 985052	Hydr. Load Simulator Double HD Cylinder Model: MLS 2100	VZ 935072	Driving and Testing direction manually switchable at console
VZ 985018	Hydr. Load Simulator Double HD Cylinder Model: MLS 2150	VZ 935134	Driving in both directions
VZ 985053	Hydr. Load Simulator Double HD Cylinder Model: MLS 2200	VZ 990181	4 wheel drive regulator set for Visco and Rigid 4 WD (MBT 4000/7000 Series)
VZ 985054	Hydr. Load Simulator Double HD Cylinder Model: MLS 2300	VZ 935113	DC-Brake for MBT 4000/7000Roller Sets
VZ 935251	MLS Weight Simulator Operation via Radio Remote Control MRC 1100 (not for MLS 2300)	VZ 990350	Special voltage 3 x 230 V 50Hz
VZ 990201	Converter Board for Control of Hydraulic Load Simulator Roller Set Lifting	VZ 950057	Simultaneous Display for MBT 4000/7000 LON/-EUROSYSYSTEM TYP: MSA T CLASSIC
VZ 935194	Floor Rails 4 m (2 pcs) for Hydr. Load Simulator (VZ 985053 or VZ 985054)	VZ 950058	Simultaneous Display for MBT 4000/7000 LON/-EUROSYSYSTEM TYP: MSA T VARIODATA
VZ 935195	Floor Rails 4 m (2 pcs) for Hydr. Load Simulator (VZ 985053 or VZ 985054)	VZ 950059	Simultaneous Display for MBT 4000/7000 LON/-EUROSYSYSTEM TYP: MSA T COMPETENCE
VZ 935198	Lashing Straps for Hydr. Load Simulator (2 pcs)	VZ 955252	Differential display for Simultaneous Display MSA
VZ 935199	Fastening Set for Hydr. Load Simulator	VZ 955253	Display module VARIODATA
		VZ 955254	LED-running letters (16 digits) with convenient operator guidance

# BRAKE TESTING TECHNOLOGY MBT 4000 SERIES

## MBT 4250 EUROSISTEM VP 410153



VZ 955269	Installation Kit to attach Simultaneous Display MSA to Wall (approx. 90° swivable)	VZ 910179	HDMI Cable 15 m -NET PRICE-
VZ 955255	Wall holder for Simultaneous Display MSA (approx. 180° swivable)	VZ 910180	HDMI Cable 30 m -NET PRICE-
VZ 955270	Foot for Simultaneous Display MSA, (approx. 180° swivable) for free-standing installation	VZ 910181	HDMI Splitter, 4-port incl. 2 m cable -NET PRICE
VZ 955271	Support for Simultaneous Display MSA CLASSIC, for Inst. to Communication Desk MCD	VZ 910091	A4 Ink jet colour printer (incl. printer cable) -NET PRICE-
VZ 910047	Infrared Remote Control IFB3	VZ 955299	Tablet PC Rugged (industrial standard) MODEL: C_Tablet-PC -NET PRICE-
VZ 990050	Pedal force meter	VZ 955318	Docking station as charger incl. power supply unit for C_Tablet-PC -NET-
VP 990434	Pedalforce Meter MODEL: PFM 1000	VZ 955237	AP Transmitter/Receiver Unit (Indoor Access Point)
VZ 955088	Key Switch for Emergency Stop	VZ 955287	Autom. license pl. recognition incl. full-HD outdoor network IP camera with wall mount
VZ 955045	Emergency Switch	VZ 955291	Distance sensor triggering the automatic license plate recognition
VZ 955014	Working hour meter	<b>SUPPLEMENTARY CHARGES</b>	
VZ 955080	Thermostat-Controlled Heater for Electro-Cabinet	VT 998283	Internal transport -SOUTHMBT, MSD -Two-piece/ Split-
VZ 980035	Start set radio controlled pressure converter	VT 998284	Internal transport -NORTHMBT, MSD -Two-piece/ Split-
VZ 910154	Radio remote control Model: FFB3 incl. reception module	VT 998253	Internal transport -SOUTHSimultaneous display, MCD Control cabinet (per pce)
VZ 910156	Radio remote control/Radio Hand-held terminal FFB3-FHT (-EXTRA CHARGE to FFB3-)	VT 998254	Internal transport -NORTHSimultaneous display, MCD Control cabinet (per pce)
VZ 980050	Pneum. Radio-Controlled Pressure Converters, Meas. Range 0 - 20 bar, MODEL: C_RCD 50	VT 998257	Internal transport -SOUTHInstallation frame Brake tester Split
VZ 985064	Hydr. radio pressure converter, range: 0 - 160 bar MODEL: C_RAHA 10-2 - 160 bar	VT 998258	Internal transport -NORTHInstallation frame Brake tester Split
VZ 955071	Flashing Light with Periodical Signal Horn for Radio Controlled Pressure Converters	VT 998259	Internal transport -SOUTHInstallation frame Brake tester Compact
VZ 990090	Warning Lamp f. Radio-Control. Pressure Converters when being removed from Re-Charging Box	VT 998260	Internal transport -NORTHInstallation frame Brake tester Compact
VZ 911275	Software EUROSISTEM	VT 998255	Internal transport -SOUTHPull-down device
VZ 911276	Software module EUROSISTEM Multi-user capability	VT 998256	Internal transport -NORTHPull-down device
VZ 911373	Software EUROSISTEM V8	VT 998261	Internal transport -SOUTHRoller set lift Truck
VZ 912030	Connection Module for Equipment	VT 998262	Internal transport -NORTHRoller set lift Truck
VZ 911045	'asanetwork netmanager' f. commercial software network king with asanetwork equipment	VM 999005	Hydraulic Oil (HLPD 32) per Litre -NET PRICE
VZ 911079	Software package Brake evaluation	VM 996178	Assembly costs Brake Tester MBT 4250/-7250 EUROSISTEM MBT 5250/-6250
VP 186050	Communication Desk EUROSISTEM Car/Truck (w/o electronics) Model: MCD 2000	VM 995148	Routine Test/Calibration acc. to Vkl. 149/2021 Truck Brake Tester
VZ 955273	Printer Compartment for Communication Desk EUROSISTEM MCD 2000	VM 996088	Installation costs for 4WD-drive control kit for new installations
VZ 955274	Side Shelf for Comm. Desk EUROSISTEM MCD 2000	VM 996090	Assembly Costs Radio Pressure Converters per unit/recharging box
VZ 955277	External PC Storage Shelf for Communication Desk EUROSISTEM MCD 2000	VM 996177	Installation costs C_Tablet-PC -for new installation
VZ 910208	Industrial PC Compact with Windows 11 -NET PRICE	VM 995679	Assembly Costs per Display Unit (LON/ EUROSISTEM)
VZ 955275	Holder for Compact/Performance PC, suitable for placement inside MCD 2000 desk	VM 996136	Installation costs Roller set lift/Pull-down device (extra charge for work effort >10h)
VZ 910052	PC Keyboard and Mouse -NET PRICE	VM 996185	Install. costs Floor anchors for roller set lift (extra charge for work effort >6h)
VZ 910200	PC Flat screen 24 VGA/DVI/HDMI, (TFT standard) -NET PRICE-	VM 996114	Pre-assembly Brake Tester MBT 4000/5000/6000/7000 with 20m cable
VZ 910192	LED simultaneous display unit 43 incl. pedestal, HDMI -NET PRICE-	VM 996115	Connection and Calibration MBT 4000/5000/6000/7000 with 20 m cable
VZ 955244	Rotatable & Folding Wall Holder f. TFT Industrial- or TV Flat Screens (up to 47)	VV 997584	Packing Charges Roller Set Lift
VZ 910193	HDMI Cable 5 m -NET PRICE-		