

SPECIFICATION

MAHA PRODUCTS FOR VOLKSWAGEN AG



**FOUR POST INGROUND LIFT FOR
CARS/COMMERCIAL VEHICLES
UP TO 5.0/6.5 t LIFTING CAPACITY
MODEL: VAS 783 015/VAS 783 013A**

VOLKSWAGEN AG

Art.-No.	Qty	Description	Specifications-No.
----------	-----	-------------	--------------------

VAS 783 015

VP 252311

**1 Four Post Inground Lift 5.0t
Runway Type 4400, VAS 783 015**

MODEL: VS SQUARE II 6.5 MC (with load cap. 5.0 t)

Special Version/Standard Equipment:

- Four Post Inground Lift Runway Type 4400 (VP 252286)
Model: VS SQUARE II 6.5 MC (surface mounted)
- Load capacity 5.0 t
- Lowering System for Wheel Alignment (VZ 972481)
- Double Installation tub for four-post inground lifts (VZ 972560)
2 x 1580 mm cylinder distance


Paint:

Driving platform, approach ramp: basalt grey, RAL 7012

Label:

'VAS 783 015' label

Lettering style: Volkswagen headline,
letters: RAL 7040 (grey)



VAS 783 013A

VP 252312

**1 Four Post Inground Lift 6.5t
Runway Type 5600, VAS 783 013A**

MODEL: VS SQUARE II 6.5 VAN

Special Version/Standard Equipment:

- Four Post Inground Lift 6.5t Runway Type 5600 (VP 252285)
Model: VS SQUARE II 6.5 VAN (surface mounted)
- Lowering System for Wheel Alignment (VZ 972481)
- Cable for Electronic Lowering Function
outside Area of Vehicle Movement
- Double Installation tub for four-post inground lifts (VZ 972560)
2 x 1580 mm cylinder distance


Paint:

Driving platform, approach ramp: basalt grey, RAL 7012

Label:

'VAS 783 013A' label

Lettering style: Volkswagen headline,
letters: RAL 7040 (grey)



SPECIFICATION

MAHA PRODUCTS FOR VOLKSWAGEN AG



**FOUR POST INGROUND LIFT FOR
CARS/COMMERCIAL VEHICLES
UP TO 5.0/6.5 t LIFTING CAPACITY
MODEL: VAS 783 015/VAS 783 013A**

VOLKSWAGEN AG

Art.-No.	Qty	Description	Specifications-No.
----------	-----	-------------	--------------------

Recommended Accessories:

VZ 972482 1 Approach Ramps 1600 mm for above-floor installation (2 pcs.)
in conjunction with Set of compensating plates approach angel 8°

VZ 972425 1 Flush-fitted Runway Installation; Drive-over Flaps instead of
Drive-on Ramps (4 pcs.)

Wheel-Alignment – Set 5,0 t - 4400 mm

VZ 975811 1 Set of Compensating plates 4400 for Wheel Alignment without
Wheel-Free Jack, granulate coated
Runway length: 4400 mm

VZ 975026 1 Sliding Plates (2 pcs.)
LxWxH: 1060 x 570 x 50 mm

Wheel-Alignment – Set „Precision“ 5,0 t - 4400 mm

VZ 975811 1 Set of Compensating plates 4400 for Wheel Alignment without
Wheel-Free Jack, granulate coated
Runway length: 4400 mm

VZ 971316 1 Sliding Plates "Precision" (2 pcs.)
LxWxH: 1150 x 600 x 50 mm

Wheel-Alignment – Set 6,5 t - 5600 mm

VZ 975808 1 Set of compensating plates 5600 for Wheel Alignment without
Wheel-Free Jack, granulate coated; Runway length: 5600 mm

VZ 970159 1 Sliding Plates (2 pcs.) "Long Version"
LxWxH: 1800 x 570 x 50 mm

Wheel-Alignment – Set „Precision“ 6,5 t - 5600 mm

VZ 975808 1 Set of compensating plates 5600 for Wheel Alignment without
Wheel-Free Jack, granulate coated; Runway length: 5600 mm

VZ 971316 2 Sliding Plates "Precision" (2 pcs.)
LxWxH: 1150 x 600 x 50 mm

SPECIFICATION

MAHA PRODUCTS FOR VOLKSWAGEN AG

	FOUR POST INGROUND LIFT FOR CARS/COMMERCIAL VEHICLES UP TO 5.0/6.5 t LIFTING CAPACITY MODEL: VAS 783 015/VAS 783 013A	VOLKSWAGEN AG	
Art.-No.	Qty	Description	Specifications-No.

Recommended Accessories:

VZ 995022	1	Installation of Cable Set for Wheel Alignment Analyser Beissbarth Easy 3D	
VP 985045	1	Axle jack, hydro-pneumatic Scissor jack 2.6 t load cap. MODEL: AL II 2.6 PH incl. carriage incl. air feeding set (Spiral hose, guidance cable) incl. 3 Set extension sockets 10, 45 85 mm	VAS 6495/1
VZ 975894	1	Extender set Transporter for Axle lifts 2.0 t / 2.6 t 2 pcs Adapter sleeves 1 set Support disc extenders 150 mm (VZ 971222), 2 pcs 2 pcs Rubber discs 120 mm 1 set Hard rubber blocks (VZ 975074), 4 pcs	
VP 985065		Axle jack, hydro-pneumatic Scissor jack 4.0 t load cap. MODEL: AL II 4.0 PH W incl. carriage incl. air feeding set (Spiral hose, guidance cable) incl. support discs d=120 mm (2 pcs) incl. adapter sleeves for support discs (2 pcs) incl. 3 Set extension sockets 50/100/200 mm	
VZ 971226	1	Special Prism Support for VW Crafter - Plug-In System - (2 pcs.)	
VZ 975181	1	Air pressure servicing unit with fastening iron (0 - 10 bar) consisting of regulator, lubricator, water separator, manometer and automatic drainage	
VZ 990433	1	LED Illuminant, 4 pcs (2 pcs per each Runway)	
VZ 972536	1	Installation frame VS runway 4400 m flush-fitted, w. floor compensation (perm. formwork)	
VZ 972480	1	Floor compensation, pneumatic, for runway 4400 mm	
VZ 972529	1	Installation frame VS runway 5600 m flush-fitted, w. floor compensation (perm. formwork)	
VZ 972530	1	Floor compensation, pneumatic, for runway 4400 mm	

SPECIFICATION

MAHA PRODUCTS FOR VOLKSWAGEN AG

	FOUR POST INGROUND LIFT FOR CARS/COMMERCIAL VEHICLES UP TO 5.0/6.5 t LIFTING CAPACITY MODEL: VAS 783 015/VAS 783 013A	VOLKSWAGEN AG	
Art.-No.	Qnty	Description	Specifications-No.

Changes:

- New Model VS SQUARE II (11.07.12)
- Option: Pre-Cabling (VZ 990163) deleted (08.01.13)
- Option: Flush-fitted Runway Installation (VZ 972425) (08.07.15)
- Option: LED Illuminant 4 pcs (VZ 990433) (30.07.15)
- The Specification-No. has been changed from VAS 6398 to VAS 6398A (11.01.16)
- New Specification VAS 783 009 VS SQUARE II 5.5 instead of VS SQUARE II 6.5 (11.01.16)
- New Specification VAS 783 013 VS SQUARE II 6.5 VAN instead of VS SQUARE II 5.5 (07.09.16)
- Option: Flush-fitted Runway Installation (VZ 972425) (28.11.16)
- New Specification VAS 6398A VS SQUARE II 6.5 MC instead of VS SQUARE II 5.0 (24.04.17)
- New Specification-No. VAS 783 015 replaces VAS 6398A (03.07.18)
- New Specifications-No. VAS 783 013A replaces VAS 783 013 (03.07.18)

Please refer to current price list for additional options, transport and assembly charges!

Subject to technical change without notice.