

# BRAKE TESTING TECHNOLOGY MBT 3000 SERIES

**MBT 3200 LON**  
VP 410127



## MBT 3200 LON VP 410127

The test-lane-compatible roller brake tester MBT 3200 LON is designed for the brake testing of cars, vans and light-duty trucks with axle loads of up to 8.0 t. Its standard test speed of 5 km/h complies with the country-specific legal requirements for testing cars and light-duty trucks. Its multi-analogue display, with two pointer gauges, enables the display of brake, side-slip and shock absorption test results.

### PRODUCT DETAILS/ACCESSORIES

Description of the MBT 3200 LON:  
Test lane-enabled roller brake tester with Multi-analogue display particularly for cars, vans and light lorries with an axle load of up to 8.0 t

- Thanks to 8 t axle load and 2800 mm track width, particularly suitable for vans and light lorries
- As a test speed of 5 km/h is supplied as standard, both cars and light lorries can be tested in compliance with legislation.
- Multi-analogue display with two pointer indicators (Diameter: 2 x 350 mm) and an integrated switch and electrical cabinet  
Display option for:
  - Brake tester
  - Wheel arch tester
  - Shock absorption tester
- Difference display (three-digit + LED bar) for evaluating:
  - Difference in braking force
  - Difference in shock absorption
  - Deviation in wheel arch
- Program control using 32-bit microprocessor electronics

enables the finest resolution for the measurement results

\* Dimensions of display (H x W x D) 910x 870 x 300 mm

- Comprehensive package of functions for professional testing, such as:
  - Delayed automatic switch-on after entering the tester
  - Automatic start-up monitoring supplied as standard to avoid tyre damage
  - Automatic slip cut-off with pointer stop and automatic restart already included as standard
  - Automatic exiting aid supplied as standard to enable the

driven axles to conveniently exit the tester

- Automatic cut-off after exiting the tester
- Single-wheel switching for differentiated consideration of each wheel
- Robust and long-lasting design due to:
  - Electronic, temperature-compensated strain gauge system for highly precise measurement results under all environmental conditions
  - Roller surface welded
  - Optional, free plastic coating on the test rollers
  - 32-bit microprocessor electronics for process control and monitoring of all the safety functions
  - Lockable main switch
  - RS 232 interface connection
  - Splash-proof motors work reliably, even under high-stress environmental influences
  - Weighted test rollers with groove ball bearings ensure maximum precision and complete driving comfort and guarantee a long service life for the entire tester
  - Internationally recognised TÜV certificate as per issue 149/2021 of the Verkehrsblatt (German Transport Gazette)
  - Star-delta circuit to avoid high inrush currents
  - Self-supporting closed roller set
  - Varnished with high-quality powder coating: Anthracite Grey, RAL 7016

Scope of delivery:

- Analogue display with two pointer indicators and an integrated switch cabinet
- MBT 3000 roller set with preparation for weighing equipment

### TECHNICAL DATA

Axle load (can be driven over)	8000 kg
Min. track	870 mm
Max. track	2800mm

# BRAKE TESTING TECHNOLOGY MBT 3000 SERIES

**MBT 3200 LON**  
VP 410127



## TECHNICAL DATA

Drive power	2 x 5.5 kW
Test speed	5 km/h
Measuring range	10 kN
Roller diameter	202 mm
Roller axle distance	400 mm
gG fuse	35 A
Power supply	3/N/PE 400 V 50 Hz
Dimensions of roller set (L x W xH)	2925 x 680 x 280 mm

## ACCESSORIES

VZ 930040	Divided Roller Set for Installation in Pit	VZ 980035	Start set radio controlled pressure converter
VZ 975546	Weighing system STAT./DYN. for roller set MBT 3000	VZ 910154	Radio remote control Model: FFB3 incl. reception module
VZ 935068	Roller Heating	VZ 910156	Radio remote control/Radio Hand-held terminal FFB3-FHT (-EXTRA CHARGE to FFB3-)
VZ 935174	Roller cover for MBT 3000 series, 4 t traversable	VZ 980050	Pneum. Radio-Controlled Pressure Converters, Meas. Range 0 - 20 bar, MODEL: C_RCD 50
VZ 930041	Automatic Pneumatic Lifting Device with light barrier for MBT 2xxx/3000	VZ 985064	Hydr. radio pressure converter, range: 0 - 160 bar MODEL: C_RAH 10-2 - 160 bar
VP 930057	Foundation formwork galv., for MBT 2000 RS5/ C_MBT C W280	VZ 955071	Flashing Light with Periodical Signal Horn for Radio Controlled Pressure Converters
VZ 935110	Plastic-Coated Roller Surface (Standard Production - Welded)	VZ 990090	Warning Lamp f. Radio-Control. Pressure Converters when being removed from Re-Charging Box
VZ 935132	Driving and Testing Directions manually selectable both sides or one side	VZ 911264	Software LON Basic for external PC
VZ 935133	Driving and Testing Directions of Single Wheel selectable via Remote Control	VZ 910140	USB/RS 232 Converter for Connection to PC/ Laptop w/o. RS 232 Interface -NET-
VZ 990355	4 wheel drive regulator set for Visco and Rigid 4 wheel drive	VP 186050	Communication Desk EUROSYSYSTEM Car/Truck (w/o electronics) Model: MCD 2000
VZ 935114	DC Brake for MBT 2000/3000 Roller Sets	VZ 955273	Printer Compartment for Communication Desk EUROSYSYSTEM MCD 2000
VZ 990352	Special voltage 3 x 230 V 50/60Hz	VZ 955274	Side Shelf for Comm. Desk EUROSYSYSTEM MCD 2000
VZ 955257	Foot for display cabinet for free-standing installation	VZ 955277	External PC Storage Shelf for Communication Desk EUROSYSYSTEM MCD 2000
VZ 955256	Wall holder for Multi-analog display 2 or 4, 180° swivable	VZ 910177	Industrial PC Compact with Windows 10 -NET PRICE
VZ 950055	Simultaneous Display for MBT 2000/3000 LON-/EUROSYSYSTEM Model: MSA C CLASSIC	VZ 955275	Holder for Compact/Performance PC, suitable for placement inside MCD 2000 desk
VZ 950056	Simultaneous Display for MBT 2000/3000 LON-/EUROSYSYSTEM MODEL: MSA C VARIODATA	VZ 910052	PC Keyboard and Mouse -NET PRICE
VZ 955252	Differential display for Simultaneous Display MSA	VZ 910200	PC Flat screen 24 VGA/DVI/HDMI, (TFT standard) -NET PRICE-
VZ 955253	Display module VARIODATA	VZ 910192	LED simultaneous display unit 43 incl. pedestal, HDMI -NET PRICE-
VZ 955254	LED-running letters (16 digits) with convenient operator guidance	VZ 955244	Rotatable (>&)> Folding Wall Holder f. TFT Industrial- or TV Flat Screens (up to 47 )
VZ 955269	Installation Kit to attach Simultaneous Display MSA to Wall (approx. 90° swivable)	VZ 910193	HDMI Cable 5 m -NET PRICE-
VZ 955255	Wall holder for Simultaneous Display MSA (approx. 180° swivable)	VZ 910179	HDMI Cable 15 m -NET PRICE-
VZ 955270	Foot for Simultaneous Display MSA, (approx. 180° swivable) for free-standing installation	VZ 910180	HDMI Cable 30 m -NET PRICE-
VZ 955271	Support for Simultaneous Display MSA CLASSIC, for Inst. to Communication Desk MCD	VZ 910181	HDMI Splitter, 4-port incl. 2 m cable -NET PRICE
VZ 950064	Display and Control Cabinet Installed Separately	VZ 910091	A4 Ink jet colour printer (incl. printer cable) -NET PRICE-
VZ 910153	Radio remote control MODEL: RECO 1 incl. reception module	VZ 955299	Tablet PC Rugged (industrial standard) MODEL: C_Tablet-PC -NET PRICE-
VZ 910047	Infrared Remote Control IFB3	VZ 955318	Docking station as charger incl. power supply unit for C_Tablet-PC -NET-
VZ 990050	Pedal force meter	VZ 955237	AP Transmitter/Receiver Unit (Indoor Access Point)
VP 990434	Pedalforce Meter MODEL: PFM 1000		
VZ 955088	Key Switch for Emergency Stop		
VZ 955045	Emergency Switch		
VZ 955014	Working hour meter		
VZ 955080	Thermostat-Controlled Heater for Electro-Cabinet		

## SUPPLEMENTARY CHARGES

# BRAKE TESTING TECHNOLOGY MBT 3000 SERIES

**MBT 3200 LON**  
VP 410127



VT 998281	Transport Werkverkehr -SÜDMBT W250/RS4/ W280/RS5, C13.0 MSD-Plus -ungeteilt/Compact-	VM 995148	Routine Test/Calibration acc. to Vkl. 149/2021 Truck Brake Tester
VT 998282	Transport Werkverkehr -NORDMBT W250/RS4/ W280/RS5, C13.0 MSD-Plus -ungeteilt/Compact-	VM 996090	Assembly Costs Radio Pressure Converters per unit/recharging box
VT 998283	Transport Werkverkehr -SÜDMBT, MSD -geteilt/ Split-	VM 996088	Montagekosten Allradregelsatz bei Neuinstallation
VT 998284	Transport Werkverkehr -NORDMBT, MSD -geteilt/ Split-	VM 996177	Montagekosten C_Tablet-PC -bei Neuinstallation
VT 998253	Transport Werkverkehr -SÜDSimultananzeige, MCD Schaltschrank (pro Stück)	VM 995679	Assembly Costs per Display Unit (LON/ EUROSYSTEM)
VT 998254	Transport Werkverkehr -NORDSimultananzeige, MCD Schaltschrank (pro Stück)	VM 996117	Pre-installation Brake Tester MBT 2000/3000 with 10 m cable
VM 996116	Installation costs Brake TesterMBT 2200 LON, MBT 3200	VM 996118	Connection and Calibration Brake tester MBT 2000/3000 with 10 m cable