## BRAKE TESTING TECHNOLOGY MBT 3000 SERIES

## MBT 3250 EUROSYSTEM

VP 410125





#### PRODUCT DETAILS/ACCESSORIES

Description of the MBT 3250 EUROSYSTEM: Test lane-enabled roller brake tester for cars and particularly vans and light lorries with an axle load of up to 8.0 t

- Thanks to 8 t axle load and 2800 mm track width, particularly suitable for vans and light lorries
- As a test speed of 5 km/h is supplied as standard, both cars and light lorries can be tested in compliance with legislation.
- Visualisation of measured values, difference and graphics on monitor display
- Test lane-enabled thanks to possibility of connecting MSD 3000 / MINC / TPS EURO floor units
- Comprehensive package of functions for professional testing, such as:
  - Delayed automatic switch-on after entering the tester
  - Automatic start-up monitoring supplied as standard to avoid tyre damage
  - Automatic slip cut-off with pointer stop and automatic restart already included as standard
  - Automatic exiting aid supplied as standard to enable thedriven axles to conveniently exit the tester
  - Automatic cut-off after exiting the tester
  - Single-wheel switching for differentiated consideration of each wheel
- Intuitive-to-use EUROSYSTEM software for the highest expert standards with:
  - Round instrument display for the braking forces Additional displays for difference, decelerations, and optional scale and force sensors.
  - Integrated user guidance with easy-to-understand user instructions
  - Continuous and graphic real-time display of all the measured values using the reference values time and force.
  - EUROSYSTEM supplied as standard with integrated SQL Server Express database
  - Multi-user capability option for productive allocation of the individual work packages to several workstations.
  - Easy to connect additional devices such as MLT 3000 to EUROSYSTEM

### **MBT 3250 EUROSYSTEM** VP 410125

The test-lane-compatible roller brake tester MBT 3250 EUROSYSTEM is designed for the brake testing of cars, vans and light-duty trucks with axle loads of up to 8.0 t and is ideal for vehicle reception and diagnostic lanes. Its standard test speed of 5 km/h complies with the country-specific legal requirements for testing cars and light-duty trucks. As it is possible to connect additional EURO floor units, the brake tester can be used as a base module for the setting up of test lanes.

- Configurable test report with all the measurement and evaluation results of the tests performed on a single printout
- · Robust and long-lasting design due to:
  - Electronic, temperature-compensated strain gauge system for highly precise measurement results under all environmental conditions
  - Roller surface welded
  - · Optional, free plastic coating on the test rollers
  - 32-bit microprocessor electronics for process control and monitoring of all the safety functions
  - Lockable main switch
  - RS 232 interface connection
  - Splash-proof motors work reliably, even under high-stress environmental influences
  - Weighted test rollers with groove ball bearings ensure maximum precision and complete driving comfort and guarantee a long service life forthe entire tester
  - Internationally recognised TÜV certificate as per issue 149/2021 of the Verkehrsblatt (German Transport Gazette)
  - Star-delta circuit to avoid high inrush currents
  - · Self-supporting closed roller set
  - Varnished with high-quality powder coating: Anthracite Grey, RAL 7016

Description of the MCD 2000 communication desk:

- Robust and multifunctional metal casing
- Integrated switch cabinet for housing electronic components
  Lockable drawer for keypad and PC mouse, plus storage
- compartment for small items of equipment
- VESA standard bracket for holding the all-in-one PC or PC monitor
- Can be extended with optional PC storage compartment or side shelves
- Varnished withhigh-quality powder coating: window grey, RAL 7040 (switch cabinet) anthracite grey, RAL 7016 (side faces)

#### Dimensions of

communication desk (HxWxD)approx. 1230 x 860 x 350 mmwith printer compartmentapprox. 1560 x 860 x 420 mm

## BRAKE TESTING TECHNOLOGY **MBT 3000 SERIES**

### **MBT 3250 EUROSYSTEM** VP 410125



MCD 2000 communication desk with integrated switch cabinet
 MBT 3000 roller set with preparation for weighing equipment

#### **TECHNICAL DATA**

Axle load (can be driven over)	8000 kg
Min. track	870 mm
Max. track	2800 mm
Drive power	2 x 5.5 kW
Test speed	5 km/h
Measuring range	10 kN
Roller diameter	202 mm
Roller axle distance	400 mm
gG fuse	35 A
Power supply	3/N/PE 400 V 50 Hz
Dimensions of roller set (L x W x H)	2925 x 680 x 280 mm

#### ACCESSORIES

VZ 930040	Divided Roller Set for Installation in Pit	VZ 990050	Pedal force meter	
VZ 975546	5 5 7	VP 990434	Pedalforce Meter MODEL: PFM 1000	
	3000	VZ 955088	Key Switch for Emergency Stop	
VZ 935068	Roller Heating	VZ 955045	Emergency Switch	
VZ 935174	Roller cover for MBT 3000 series, 4 t traversable	VZ 955014	Working hour meter	
VZ 930041	Automatic Pneumatic Lifting Device with light	VZ 955080	Thermostat-Controlled Heater for Electro-Cabinet	
	barrier for MBT 2xxx/3000	VZ 980035	Start set radio controlled pressure converter	
VP 930057	Foundation formwork galv., for MBT 2000 RS5/ C_MBT C W280	VZ 910154	Radio remote control Model: FFB3 incl. reception module	
VZ 935110	Plastic-Coated Roller Surface (Standard Production - Welded)	VZ 910156	Radio remote control/Radio Hand-held terminal FFB3-FHT (-EXTRA CHARGE to FFB3-)	
VZ 935323	Mechanical roller set raiser for MBT 2000 RS5, MBT 3250	VZ 980050	Pneum. Radio-Controlled Pressure Converters, Meas. Range 0 - 20 bar, MODEL: C_RCD 50	
VZ 910190	Operating/Control Unit for Roller Set Raiser MBT 2000 RS.No.5	VZ 985064	Hydr. radio pressure converter, range: 0 - 160 bar MODEL: C RAH 10-2 - 160 bar	
VZ 935132	Driving and Testing Directions manually selectable both sides or one side	VZ 955071	Flashing Light with Periodical Signal Horn for Radio Controlled Pressure Converters	
VZ 935133	Driving and Testing Directions of Single Wheel selectable via Remote Control	VZ 990090	Warning Lamp f. Radio-Control. Pressure Converters when being removed from Re-	
VZ 990355	4 wheel drive regulator set for Visco and Rigid 4 wheel drive	17 010000	Charging Box	
V7 935114	DC Brake for MBT 2000/3000 Roller Sets	VZ 912030		
	Special voltage 3 x 230 V 50/60Hz	VZ 911045	'asanetwork netmanager' f. commercial software networ king with asanetwork equipment	
	Simultaneous Display for MBT 2000/3000 LON/-	VZ 911079	Software package Brake evaluation	
	EUROSYSTEM Model: MSA C CLASSIC	VZ 911275	Software EUROSYSTEM	
VZ 950056	Simultaneous Display for MBT 2000/3000 LON/- EUROSYSTEM MODEL: MSA C VARIODATA	VZ 911276	Software module EUROSYSTEM Multi-user capability	
VZ 955252	Differential display for Simultanous Display MSA	V7 911373	Software FUROSYSTEM V8	
VZ 955253	Display module VARIODATA	VP 186050	Communication Desk EUROSYSTEM Car/Truck	
VZ 955254	LED-running letters (16 digits) with convenient operator guidance		(w/o electronics) Model: MCD 2000	
VZ 955269		VZ 955273	Printer Compartment for Communication Desk EUROSYSTEM MCD 2000	
VZ 955255	Wall holder for SimultanousDisplay MSA (approx. 180° swivalable)	VZ 955274	Side Shelf for Comm. Desk EUROSYSTEM MCD 2000	
VZ 955270	Foot for Simultanous Display MSA, (approx. 180°	VZ 955277	External PC Storage Shelf for Communication Desk EUROSYSTEM MCD 2000	
VZ 955271	swivalable) for free-standing installation Support for Simultaneous Display MSA CLASSIC,	VZ 910177	Industrial PC Compact with Windows 10 -NET PRICE	
VZ 910047	for Inst. to Communication Desk MCD Infrared Remote Control IFB3	VZ 955275	Holder for Compact/Performance PC, suitable for placement inside MCD 2000 desk	

# BRAKE TESTING TECHNOLOGY **MBT 3000 SERIES**

### **MBT 3250 EUROSYSTEM** VP 410125



VZ 910052	PC Keyboard and Mouse -NET PRICE		VT 998282	Transport Werkverkehr -NORDMBT W250/RS4/
VZ 910200	PC Flat screen 24 VGA/DVI/HDMI, (TFT standard) -NET PRICE-		W280/RS5, C13.0 MSD-Plus -ungeteilt/Compact-	
		VT 998283	Transport Werkverkehr -SÜDMBT, MSD -geteilt/	
VZ 910192			Split-	
		VT 998284	Transport Werkverkehr -NORDMBT, MSD -geteilt/ Split-	
	Rotatable (>&)> Folding Wall Holder f. TFT Industrial- or TV Flat Screens (up to 47 )			
		VT 998253	Transport Werkverkehr -SÜDSimultananzeige,	
VZ 910193	HDMI Cable 5 m -NET PRICE-			MCD Schaltschrank (pro Stück)
VZ 910179	HDMI Cable 15 m -NET PRICE-		VT 998254	Transport Werkverkehr -NORDSimultananzeige, MCD Schaltschrank (pro Stück)
VZ 910180	HDMI Cable 30 m -NET PRICE-			
VZ 910181	HDMI Splitter, 4-port incl. 2 m cable -NET PRICE		VM 996176	Installation costs Brake Tester MBT 2250
VZ 910091	A4 Ink jet colour printer (incl. printer cable) -NET			EUROSYSTEM MBT 3250
12 910091	PRICE-		VM 995148	Routine Test/Calibration acc. to VkBl. 149/2021
VZ 955299	Tablet PC Rugged (industrial standard) MODEL: C_Tablet-PC -NET PRICE-		Truck Brake Tester	
			VM 996090	Assembly Costs Radio Pressure Converters per
VZ 955318	Docking station as charger incl. power supply unit			unit/recharging box
	for C_Tablet-PC -NET-		VM 996088	
VZ 955237	AP Transmitter/Receiver Unit (Indoor Access	it (Indoor Access		Neuinstallation
	Point)	VM 996177	Montagekosten C_Tablet-PC -bei Neuinstallation	
VZ 955287	Autom. license pl. recognition incl. full-HD outdoor network IP camera with wall mount	VM 995679	Assembly Costs per Display Unit (LON/	
			EUROSYSTEM)	
VZ 955291	Distance sensor triggering the automatic license plate recognition	VM 996117	Pre-installation Brake Tester MBT 2000/3000	
			with 10 m cable	
SUPPLEMENTARY CHARGES		VM 996118	Connection and Calibration Brake tester MBT	
VT 998281	Transport Werkverkehr -SÜDMBT W250/RS4/			2000/3000 with 10 m cable
	W280/RS5, C13.0 MSD-Plus -ungeteilt/Compact-			